ELSEVIER

Available online at www.sciencedirect.com

SCIENCE DIRECT®

Journal of Organometallic Chemistry 664 (2002) 311

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 664

Alesso, G., 77
Arévalo, A., 170

Back, S., 123
Baker, P.K., 37, 45
Ballot, S., 208
Barón, G., 170
Bastero, A., 77
Bats, J.W., 94
Benito, J.M., 258
Bertrand, G., 70
Bertus, P., 268
Bian, Z.-G., 201
Bohra, R., 66
Bolte, M., 94
Bonaterra, M., 223
Bouquant, J., 268
Breunig, H.J., 130
Brisdon, B.J., 176
Buron, C., 70
Burrow, R.A., 306

Camurati, I., 5
Chojecki, A., 136
Cinellu, M.A., 77
Claver, C., 77
Clément, J.-C., 214

de Jesús, E., 258
Derat, E., 268
des Abbayes, H., 214
De Silva, R.M., 27
Domrachev, G.A., 106
Drake, J.E., 66
Drew, M.G.B., 37, 45

El-khateeb, M., 228
Elsegood, M.R.J., 85, 298

Fanzhi, K., 1
Flores, J.C., 258

García, J.J., 170
García-Zarracino, R., 188
Gaw, K.G., 294
Ghesner, I., 130
Gliński, M., 136
Goh, L.Y., 161
Gómez, R., 258
Gómez-Sal, P., 258
Goodyear, J.W., 176
Gornitzka, H., 70
Grandini, C., 5
Guan, H.-X., 201
Guerret, O., 70

Hagyard, M., 288
Harada, A., 234
Harrington, R.W., 176
Hemingway, C.W., 176
Hervé, A.-C., 214
Hill, M.S., 182
Hillier, A.C., 298
Hitchcock, P.B., 182, 245
Hodson, A.G.W., 277
Hongmei, L., 1
Höpfl, H., 188
Humbel, S., 268
Hursthouse, M.B., 66
Huttner, G., 123

Jain, V.K., 66
Javier de la Mata, F., 258

Ketkov, S.Y., 106
Khoo, S.B., 161
Kralik, J., 123, 150
Kunicki, A.R., 136
Kutyreva, V.V., 106

Lang, H., 123, 142, 150
Lang, E.S., 306
Leigh, G.J., 245
Leong, W.K., 161
Lerner, H.-W., 94
Li, Q.-S., 201
Light, M.E., 66
López, C., 170
Lork, E., 130

Ma, K., 94
Mace, W.J., 288
Main, L., 288
Manassero, M., 77
Manzoni de Oliveira, G., 306
Martín, S.E., 223
Marx, T., 116
Mascellani, N., 5
Matar, M., 110
Mays, M.J., 27
McPartlin, M., 277
Meichel, E., 150
Minghetti, G., 77
Moore, D.S., 37, 45
Muñoz-Hernández, M.A., 170

Nakamura, A., 234
Nakayama, Y., 234
Nicholson, B.K., 288
Noiret, N., 208

Ob'edkov, A.M., 106
Okamoto, M., 59

Pantenburg, I., 116
Parr, J., 85
Pritzkow, H., 150

Ramos-Quiñones, J., 188
Resconi, L., 5
Rheinwald, G., 123, 150
Rinaldi, M., 5
Romanenko, V., 70
Ronig, B., 116
Rossi, R.A., 223

Scholz, S., 94
Schulze, H., 116
Sella, A., 298
Sharma, R.K., 66
Sharma, V., 66
Silveira, E.T., 306
Smith, M.B., 85, 294
Solan, G.A., 27
Steed, J.W., 294
Stein, Th., 123, 142, 150
Stelzig, L., 70
Stoccoro, S., 77
Sun, J., 201
Szymoniak, J., 268

Takashima, Y., 234
Teo, M.E., 161
Thind, R.K., 277
Togrou, M., 245
Toupet, L., 214
Traverso, O., 5

Uhl, W., 110

Vázquez-López, E.M., 306
Vittal, J.J., 161

Wagner, M., 94
Watanabe, M., 59
Weber, C., 123, 150
Wesemann, L., 116
Wiseman, M.R., 176

Xiaozhong, L., 1

Yamaji, T., 59
Yaouanc, J.-J., 214
Yasuda, H., 234
Yin, Y.-Q., 201
Younes, A., 228

Zachara, J., 136
Zhang, W.-Q., 201
Zsolnai, L., 123
Zucca, A., 77

Elsevier Science B.V.
PII: S0022-328X(02)02084-3

Available online at www.sciencedirect.com
SCIENCE DIRECT
ELSEVIER
Journal of Organometallic Chemistry 664 (2002) 313–318
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Subject Index of Volume 664

π-Acidity
Synthesis and electrochemical behaviour of σ,η²-acetylide-bridged early–late complexes; The solid-state structure of [(η⁵-$C_5H_4SiMe_3$)$_2$Ti(C≡CSiMe_3)$_2$]Pd(PPh_3), 123
Alkyl
Monomere Kupfer(I)-Alkyle mit β-Wasserstoffatomen und Kupfer(I)-Aryle mit kondensierten Aromaten; die Festkörperstruktur von [(η⁵-$C_5H_4SiMe_3$)$_2$Ti(C≡CSiMe_3)$_2$]Cu^nC_4H_9, 142
Alkyne
Stabilisierung niedervalenter Ni(CO)-Bausteine durch [Ti](C≡CR)$_2$; Reaktionsverhalten von {[Ti](C≡CR)$_2$}Ni(CO) gegenüber Triphenylphosphan und Phosphiten, 150
Alkyne and diyne oligomerisation
The crystal structure of [Mo(NCS)(CO)$_2$(η³-C_3H_5)(NCMe)$_2$]·MeCN and the reactions of {Mo(CO)$_2$(η³-C_3H_5)⁺} containing species with symmetric alkynes, 176
Alkyne/dialkyltungsten complexes
Steric isomerization of alkyne–dialkyltungsten complexes with a chelating diaryloxo ligand: crystal structures of C_s- and C_1-W(η²-RC≡CR)[2,2′-S(4-Me-6-R′C_6H_2O)$_2$](CH_2SiMe_3)$_2$, 234
Alkynyl
Monomere Kupfer(I)-Alkyle mit β-Wasserstoffatomen und Kupfer(I)-Aryle mit kondensierten Aromaten; die Festkörperstruktur von [(η⁵-$C_5H_4SiMe_3$)$_2$Ti(C≡CSiMe_3)$_2$]Cu^nC_4H_9, 142
Alkynyl-transfer
Stabilisierung niedervalenter Ni(CO)-Bausteine durch [Ti](C≡CR)$_2$; Reaktionsverhalten von {[Ti](C≡CR)$_2$}Ni(CO) gegenüber Triphenylphosphan und Phosphiten, 150
Aluminium
Syntheses of polyaluminium compounds by hydroalumination reactions, chelating Lewis acids possessing two and four coordinatively unsaturated aluminium atoms, 110
Amines
Facile syntheses of new multidentate (phosphino)amines: X-ray structure of 1,4-{(OC)$_4$Mo(Ph_2P)$_2$$NCH_2$}$_2$$C_6H_4$, 294
Amorphous polypropylene
Indenyl-amido titanium and zirconium dimethyl complexes: improved synthesis and use in propylene polymerization, 5
Antimony selenium
Syntheses and structures of (R_2Bi)$_2$E (E = S, Te) and *cyclo*-(RSbSe)$_2$[W(CO)$_5$]$_2$ [R = CH($SiMe_3$)$_2$], 130
Arene complexes
Osmacycles containing the {(Ph_2PE)$_2$N}⁻ ligand (E = S or Se): synthesis and crystal structures, 85
Arsenic
Reactivity of *cyclo*-(PhX)$_6$ (X = As, P) towards [M_3L_2(CO)$_{10}$] (M = Ru, L = CO or NCMe; M = Fe, L = CO), 27
Aryl
Monomere Kupfer(I)-Alkyle mit β-Wasserstoffatomen und Kupfer(I)-Aryle mit kondensierten Aromaten; die Festkörperstruktur von [(η⁵-$C_5H_4SiMe_3$)$_2$Ti(C≡CSiMe_3)$_2$]Cu^nC_4H_9, 142
Aryl dithiocarboxylate
Reactions of cyclomanganated complexes with carbon disulfide: routes to η²-aryldithiocarboxylate-Mn(CO)$_4$ complexes and to the trithiocarbonate complex (μ$_3$-CS_3)$_2$$Mn_4(CO)_{16}$, 288
Benzene
Highly selective synthesis of biphenyl by the Pd(OAc)$_2$/HPA/O_2/AcOH catalyst system, 59
Biphenyl
Highly selective synthesis of biphenyl by the Pd(OAc)$_2$/HPA/O_2/AcOH catalyst system, 59
Bismuth
Syntheses and structures of (R_2Bi)$_2$E (E = S, Te) and *cyclo*-(RSbSe)$_2$[W(CO)$_5$]$_2$ [R = CH($SiMe_3$)$_2$], 130
Boron
Alkylderivatives of Stanna-*closo*-dodecaborate, 116
Boron–nitrogen backbone
Stepwise assembly and structural characterization of oligonuclear ferrocene aggregates with boron–nitrogen backbone, 94
Bulky ligands
Sodium and potassium derivatives of diphenyl(trimethylsilyl)-methane, 182
Butadienyl
Synthesis and reactivity of organochalogen ester substituted η³-butadienyl complexes of Mo(II): crystal structure of [MoCl(CO)$_2$(η³-CH_2C(COSePh)C=CH_2)(1,10-phenanthroline)]·0.5CH_2Cl_2, 277
2-Butyne
Nitrile exchange reactions of [WI(CO)(NCMe){P(O^{i}Pr)$_3$}$_2$(η²-MeC_2Me)][BPh_4]; X-ray crystal structures of [WI(CO)(L){P(O^{i}Pr)$_3$}$_2$(η²-MeC_2Me)][BPh_4] {L = NC^{i}Pr, NC^{t}Bu, $NCCH_2Ph$, 1,2-C_6H_4($NCCH_2$)$_2$}, 37
Carbazole
Oxidative insertion into the N–H bond of carbazole, indole and pyrrole with zerovalent metals, 170
Carbon disulfide
Reactions of cyclomanganated complexes with carbon disulfide: routes to η²-aryldithiocarboxylate-Mn(CO)$_4$ complexes and to the trithiocarbonate complex (μ$_3$-CS_3)$_2$$Mn_4(CO)_{16}$, 288
Carbonyl
Stabilisierung niedervalenter Ni(CO)-Bausteine durch [Ti](C≡CR)$_2$; Reaktionsverhalten von {[Ti](C≡CR)$_2$}Ni(CO) gegenüber Triphenylphosphan und Phosphiten, 150
Synthesis and reactions of the cationic seven-coordinate complexes, [MoI(CO)$_3$(NCR){Ph_2P(CH_2)$_n$$PPh_2$}][$BF_4$] (R = Me, *n* = 1, 2 and 3; R = Et, *n* = 1). Crystal structures of [MoI_2(CO)$_2$(PPh_3)-{Ph_2P(CH_2)PPh_2}], [MoI(CO)$_2$-{Ph_2P(CH_2)PPh_2}$_2$][BF_4]·CH_2Cl_2, [$MoCl_3O$-{Ph_2PO(CH_2)$OPPh_2$}] and [Mo_3(μ$_3$-I)$_2$-{μ$_2$-Ph_2P(CH_2)PPh_2}$_3$]I, 45
Carbonyl complexes
Facile syntheses of new multidentate (phosphino)amines: X-ray structure of 1,4-{(OC)$_4$Mo(Ph_2P)$_2$$NCH_2$}$_2$$C_6H_4$, 294
Catalysis
New complexes of palladium(II) with chelating heterocyclic nitrogen ligands. Characterization and catalytic activity in CO–styrene copolymerization. Crystal structure of [Pd(bipy)$_2$][BAr'_4]$_2$, Ar′ = [3,5-(CF_3)$_2$$C_6H_3$], 77

Elsevier Science B.V.
PII: S0022-328X(02)02082-X

Catalyst separation
Polyether phosphine oxide induced phase separable homogeneous catalysis for hydroformylation of higher olefins, 1
Cationic
Nitrile exchange reactions of $[WI(CO)(NCMe)\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$; X-ray crystal structures of $[WI(CO)(L)\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$ {L = NC^iPr, NC^tBu, $NCCH_2Ph$, 1,2-$C_6H_4(NCCH_2)_2$}, 37
Synthesis and reactions of the cationic seven-coordinate complexes, $[MoI(CO)_3(NCR)\{Ph_2P(CH_2)_nPPh_2\}][BF_4]$ (R = Me, $n = 1$, 2 and 3; R = Et, $n = 1$). Crystal structures of $[MoI_2(CO)_2(PPh_3)\{Ph_2P(CH_2)PPh_2\}]$, $[MoI(CO)_2\{Ph_2P(CH_2)PPh_2\}_2][BF_4]\cdot CH_2Cl_2$, $[MoCl_3O\{Ph_2PO(CH_2)OPPh_2\}]$ and $[Mo_3(\mu_3\text{-}I)_2\{\mu_2\text{-}Ph_2P(CH_2)PPh_2\}_3]I$, 45
C–H···π intermolecular contact
Preparation and structural characterization of six new diorganotin(IV) complexes of the $R_2Sn(SaleanH_2)$ and $R_2Sn(SalceanH_2)$ type (R = Me, ^{n}Bu, Ph), 188
Chiral
Synthesis, reaction and enantiomeric resolution of chiral clusters containing SRuNiM (M = Mo, W) core, 201
cis and *trans* isomers
Preparation and structural characterization of six new diorganotin(IV) complexes of the $R_2Sn(SaleanH_2)$ and $R_2Sn(SalceanH_2)$ type (R = Me, ^{n}Bu, Ph), 188
Cluster
Alkylderivatives of Stanna-*closo*-dodecaborate, 116
Reactivity of *cyclo*-$(PhX)_6$ (X = As, P) towards $[M_3L_2(CO)_{10}]$ (M = Ru, L = CO or NCMe; M = Fe, L = CO), 27
Synthesis, reaction and enantiomeric resolution of chiral clusters containing SRuNiM (M = Mo, W) core, 201
Copolymerization
New complexes of palladium(II) with chelating heterocyclic nitrogen ligands. Characterization and catalytic activity in CO–styrene copolymerization. Crystal structure of $[Pd(bipy)_2][BAr'_4]_2$, $Ar' = [3,5\text{-}(CF_3)_2C_6H_3]$, 77
Copper(I)
Monomere Kupfer(I)-Alkyle mit β-Wasserstoffatomen und Kupfer(I)-Aryle mit kondensierten Aromaten; die Festkörperstruktur von $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Cu^nC_4H_9$, 142
CO-substitution
Stabilisierung niedervalenter Ni(CO)-Bausteine durch $[Ti](C{\equiv}CR)_2$; Reaktionsverhalten von $\{[Ti](C{\equiv}CR)_2\}Ni(CO)$ gegenüber Triphenylphosphan und Phosphiten, 150
Crystal structure
Facile syntheses of new multidentate (phosphino)amines: X-ray structure of 1,4-$\{(OC)_4Mo(Ph_2P)_2NCH_2\}_2C_6H_4$, 294
Osmacycles containing the $\{(Ph_2PE)_2N\}^-$ ligand (E = S or Se): synthesis and crystal structures, 85
Synthesis and reactions of the cationic seven-coordinate complexes, $[MoI(CO)_3(NCR)\{Ph_2P(CH_2)_nPPh_2\}][BF_4]$ (R = Me, $n = 1$, 2 and 3; R = Et, $n = 1$). Crystal structures of $[MoI_2(CO)_2(PPh_3)\{Ph_2P(CH_2)PPh_2\}]$, $[MoI(CO)_2\{Ph_2P(CH_2)PPh_2\}_2][BF_4]\cdot CH_2Cl_2$, $[MoCl_3O\{Ph_2PO(CH_2)OPPh_2\}]$ and $[Mo_3(\mu_3\text{-}I)_2\{\mu_2\text{-}Ph_2P(CH_2)PPh_2\}_3]I$, 45
Synthesis, reaction and enantiomeric resolution of chiral clusters containing SRuNiM (M = Mo, W) core, 201
Crystal structures
Nitrile exchange reactions of $[WI(CO)(NCMe)\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$; X-ray crystal structures of $[WI(CO)(L)\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$ {L = NC^iPr, NC^tBu, $NCCH_2Ph$, 1,2-$C_6H_4(NCCH_2)_2$}, 37
Steric isomerization of alkyne–dialkyltungsten complexes with a chelating diaryloxo ligand: crystal structures of C_s- and C_1-$W(\eta^2\text{-}RC{\equiv}CR)[2,2'\text{-}S(4\text{-}Me\text{-}6\text{-}R'C_6H_2O)_2](CH_2SiMe_3)_2$, 234
Synthesis, spectroscopic and structural aspects of some tetraorganodistannoxanes with internally functionalized oxime. 2. Crystal and molecular structure of $[\{Me_2Sn(ON{=}C(Me)\text{-}C_5H_4N)\}_2O\}]_2\cdot 2[2\text{-}NC_5H_4(Me)C{=}NOH]$, 66
Cyclic voltammetry
Lithiation of ferrocenylamines and vanadium dinitrogen chemistry, 245
Synthesis and electrochemical behaviour of σ,η^2-acetylide-bridged early–late complexes; The solid-state structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Pd(PPh_3)$, 123
Cyclomanganates
Reactions of cyclomanganated complexes with carbon disulfide: routes to η^2-aryldithiocarboxylate-$Mn(CO)_4$ complexes and to the trithiocarbonate complex $(\mu_3\text{-}CS_3)_2Mn_4(CO)_{16}$, 288
Cyclopentadienyl ligands
Arylimido niobium(V) complexes: mononuclear and dendritic derivatives, 258

Dendrimers
Arylimido niobium(V) complexes: mononuclear and dendritic derivatives, 258
Density functional theory
Specific solvent effect on R_2ZrCl_2 (R = butyl, ethyl) reactivity, a density functional study, 268
Dinitrogen uptake
Lithiation of ferrocenylamines and vanadium dinitrogen chemistry, 245
Diphenylmethyl
Sodium and potassium derivatives of diphenyl(trimethylsilyl)-methane, 182

Early–late complex
Synthesis and electrochemical behaviour of σ,η^2-acetylide-bridged early–late complexes; The solid-state structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Pd(PPh_3)$, 123
Electronic absorption spectra
Gas-phase electronic absorption spectra of metallocene dihydrides $M(\eta^5\text{-}C_5H_5)_2H_2$ (M = Mo, W), 106
Enantiomeric resolution
Synthesis, reaction and enantiomeric resolution of chiral clusters containing SRuNiM (M = Mo, W) core, 201

fac–*fac* and *fac*–*mer* configuration
Preparation and structural characterization of six new diorganotin(IV) complexes of the $R_2Sn(SaleanH_2)$ and $R_2Sn(SalceanH_2)$ type (R = Me, ^{n}Bu, Ph), 188
Ferrocenylaminates
Lithiation of ferrocenylamines and vanadium dinitrogen chemistry, 245
Formate
The reaction of samarium(II) with manganese carbonyl: unexpected conversion of CO to formate. X-ray crystal structures of $[Sm(Tp^{Me2})_2]Mn(CO)_5$ and $\{[Sm(Tp^{Me2})_2]_2(\mu\text{-}HCO_2)\}Mn(CO)_5$ (Tp^{Me2} = HB(3,5-dimethylpyrazolyl), 298
Fullerenes
Oxorhenium(V) '3+2' mixed-ligand complexes carrying the SNO/SN donor and C_{60}, 208

Hemilability
Hemilability of the primary amine–metal bond in polyamine-(Group 6) metal carbonyl complexes, 214
$H_3PMo_{12}O_{40}$
Highly selective synthesis of biphenyl by the $Pd(OAc)_2$/HPA/O_2/AcOH catalyst system, 59
β-Hydride transfer
Monomere Kupfer(I)-Alkyle mit β-Wasserstoffatomen und Kupfer(I)-Aryle mit kondensierten Aromaten; die Festkörperstruktur von $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Cu^nC_4H_9$, 142

Hydroalumination
Syntheses of polyaluminium compounds by hydroalumination reactions, chelating Lewis acids possessing two and four coordinatively unsaturated aluminium atoms, 110
Hydroformylation
Polyether phosphine oxide induced phase separable homogeneous catalysis for hydroformylation of higher olefins, 1
Hydrogen bridging
Alkylderivatives of Stanna-*closo*-dodecaborate, 116
β-Hydrogen migration
Specific solvent effect on R_2ZrCl_2 (R = butyl, ethyl) reactivity, a density functional study, 268
Hydrolysis
The reaction of samarium(II) with manganese carbonyl: unexpected conversion of CO to formate. X-ray crystal structures of $[Sm(Tp^{Me2})_2]Mn(CO)_5$ and $\{[Sm(Tp^{Me2})_2]_2(\mu\text{-}HCO_2)\}Mn(CO)_5$ (Tp^{Me2} = HB(3,5-dimethylpyrazolyl), 298

Imines
Hemilability of the primary amine–metal bond in polyamine-(Group 6) metal carbonyl complexes, 214
Indenyl amido titanium dimethyl complexes
Indenyl-amido titanium and zirconium dimethyl complexes: improved synthesis and use in propylene polymerization, 5
Indole
Oxidative insertion into the N–H bond of carbazole, indole and pyrrole with zerovalent metals, 170
Inorganic heterocycle
Osmacycles containing the $\{(Ph_2PE)_2N\}^-$ ligand (E = S or Se): synthesis and crystal structures, 85
Insertion
Reactions of cyclomanganated complexes with carbon disulfide: routes to η^2-aryldithiocarboxylate-$Mn(CO)_4$ complexes and to the trithiocarbonate complex $(\mu_3\text{-}CS_3)_2Mn_4(CO)_{16}$, 288
Intermolecular bonds
Crystal and molecular structure of (α-naphthyl)TeI_3, 306
Internally functionalized oxime
Synthesis, spectroscopic and structural aspects of some tetraorganodistannoxanes with internally functionalized oxime. 2. Crystal and molecular structure of $[\{Me_2Sn(ON{=}C(Me)\text{-}C_5H_4N)\}_2O\}]_2\cdot 2[2\text{-}NC_5H_4(Me)C{=}NOH]$, 66
Iodide
Synthesis and reactions of the cationic seven-coordinate complexes, $[MoI(CO)_3(NCR)\{Ph_2P(CH_2)_nPPh_2\}][BF_4]$ (R = Me, n = 1, 2 and 3; R = Et, n = 1). Crystal structures of $[MoI_2(CO)_2(PPh_3)\text{-}\{Ph_2P(CH_2)PPh_2\}]$, $[MoI(CO)_2\{Ph_2P(CH_2)PPh_2\}_2][BF_4]\cdot CH_2Cl_2$, $[MoCl_3O\{Ph_2PO(CH_2)OPPh_2\}]$ and $[Mo_3(\mu_3\text{-}I)_2\{\mu_2\text{-}Ph_2P(CH_2)PPh_2\}_3]I$, 45
Iodo
Nitrile exchange reactions of $[WI(CO)(NCMe)\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$; X-ray crystal structures of $[WI(CO)(L)\text{-}\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$ {L = NC^iPr, NC^tBu, $NCCH_2Ph$, 1,2-$C_6H_4(NCCH_2)_2$}, 37
Iron
Preparation and organic transformation reactions of $CpFe(CO)_2\text{-}SCO\text{-}3\text{-}C_6H_4\text{-}SO_2Cl$, 228
Reactivity of *cyclo*-$(PhX)_6$ (X = As, P) towards $[M_3L_2(CO)_{10}]$ (M = Ru, L = CO or NCMe; M = Fe, L = CO), 27

Lanthanide
The reaction of samarium(II) with manganese carbonyl: unexpected conversion of CO to formate. X-ray crystal structures of $[Sm(Tp^{Me2})_2]Mn(CO)_5$ and $\{[Sm(Tp^{Me2})_2]_2(\mu\text{-}HCO_2)\}Mn(CO)_5$ (Tp^{Me2} = HB(3,5-dimethylpyrazolyl), 298
Lithiation
Lithiation of ferrocenylamines and vanadium dinitrogen chemistry, 245

Manganese
Reactions of cyclomanganated complexes with carbon disulfide: routes to η^2-aryldithiocarboxylate-$Mn(CO)_4$ complexes and to the trithiocarbonate complex $(\mu_3\text{-}CS_3)_2Mn_4(CO)_{16}$, 288
The reaction of samarium(II) with manganese carbonyl: unexpected conversion of CO to formate. X-ray crystal structures of $[Sm(Tp^{Me2})_2]Mn(CO)_5$ and $\{[Sm(Tp^{Me2})_2]_2(\mu\text{-}HCO_2)\}Mn(CO)_5$ (Tp^{Me2} = HB(3,5-dimethylpyrazolyl), 298
Metal carbonyl complexes
Hemilability of the primary amine–metal bond in polyamine-(Group 6) metal carbonyl complexes, 214
Metallocene hydrides
Gas-phase electronic absorption spectra of metallocene dihydrides $M(\eta^5\text{-}C_5H_5)_2H_2$ (M = Mo, W), 106
Mixed ligand complexes
Oxorhenium(V) '3+2' mixed-ligand complexes carrying the SNO/SN donor and C_{60}, 208
Molybdenum
Facile syntheses of new multidentate (phosphino)amines: X-ray structure of 1,4-$\{(OC)_4Mo(Ph_2P)_2NCH_2\}_2C_6H_4$, 294
Gas-phase electronic absorption spectra of metallocene dihydrides $M(\eta^5\text{-}C_5H_5)_2H_2$ (M = Mo, W), 106
Synthesis and reactivity of organochalogen ester substituted η^3-butadienyl complexes of Mo(II): crystal structure of $[MoCl(CO)_2(\eta^3\text{-}CH_2C(COSePh)C{=}CH_2)(1,10\text{-phenanthroline})]\cdot 0.5\,CH_2Cl_2$, 277
Molybdenum(II)
Synthesis and reactions of the cationic seven-coordinate complexes, $[MoI(CO)_3(NCR)\{Ph_2P(CH_2)_nPPh_2\}][BF_4]$ (R = Me, n = 1, 2 and 3; R = Et, n = 1). Crystal structures of $[MoI_2(CO)_2(PPh_3)\text{-}\{Ph_2P(CH_2)PPh_2\}]$, $[MoI(CO)_2\{Ph_2P(CH_2)PPh_2\}_2][BF_4]\cdot CH_2Cl_2$, $[MoCl_3O\{Ph_2PO(CH_2)OPPh_2\}]$ and $[Mo_3(\mu_3\text{-}I)_2\{\mu_2\text{-}Ph_2P(CH_2)PPh_2\}_3]I$, 45
Molybdenum(II)allyl
The crystal structure of $[Mo(NCS)(CO)_2(\eta^3\text{-}C_3H_5)(NCMe)_2]\cdot$MeCN and the reactions of $\{Mo(CO)_2(\eta^3\text{-}C_3H_5)^+\}$ containing species with symmetric alkynes, 176
Mössbauer spectra
Lithiation of ferrocenylamines and vanadium dinitrogen chemistry, 245

N-Heterocyclic carbene ligand
Synthesis and structure of 1,2,4-triazol-2-ium-5-ylidene complexes of Hg(II), Pd(II), Ni(II), Ni(0), Rh(I) and Ir(I), 70
Nickel
Oxidative insertion into the N–H bond of carbazole, indole and pyrrole with zerovalent metals, 170
Stabilisierung niedervalenter Ni(CO)-Bausteine durch $[Ti](C{\equiv}CR)_2$; Reaktionsverhalten von $\{[Ti](C{\equiv}CR)_2\}Ni(CO)$ gegenüber Triphenylphosphan und Phosphiten, 150
Synthesis and electrochemical behaviour of σ,η^2-acetylide-bridged early–late complexes; The solid-state structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Pd(PPh_3)$, 123
Niobium
Arylimido niobium(V) complexes: mononuclear and dendritic derivatives, 258
Nitrile
Nitrile exchange reactions of $[WI(CO)(NCMe)\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$; X-ray crystal structures of $[WI(CO)(L)\text{-}\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$ {L = NC^iPr, NC^tBu, $NCCH_2Ph$, 1,2-$C_6H_4(NCCH_2)_2$}, 37
Synthesis and reactions of the cationic seven-coordinate complexes, $[MoI(CO)_3(NCR)\{Ph_2P(CH_2)_nPPh_2\}][BF_4]$ (R = Me, n = 1, 2 and 3; R = Et, n = 1). Crystal structures of $[MoI_2(CO)_2(PPh_3)\text{-}\{Ph_2P(CH_2)PPh_2\}]$, $[MoI(CO)_2\{Ph_2P(CH_2)PPh_2\}_2][BF_4]\cdot CH_2Cl_2$, $[MoCl_3O\{Ph_2PO(CH_2)OPPh_2\}]$ and $[Mo_3(\mu_3\text{-}I)_2\{\mu_2\text{-}Ph_2P(CH_2)PPh_2\}_3]I$, 45

Nitrogen ligands
New complexes of palladium(II) with chelating heterocyclic nitrogen ligands. Characterization and catalytic activity in CO–styrene copolymerization. Crystal structure of $[Pd(bipy)_2] - [BAr'_4]_2$, Ar′ = [3,5-$(CF_3)_2C_6H_3$], 77
N Ligands
Arylimido niobium(V) complexes: mononuclear and dendritic derivatives, 258
NMR spectroscopy
Facile syntheses of new multidentate (phosphino)amines: X-ray structure of 1,4-$\{(OC)_4Mo(Ph_2P)_2NCH_2\}_2C_6H_4$, 294
Osmacycles containing the $\{(Ph_2PE)_2N\}^-$ ligand (E = S or Se): synthesis and crystal structures, 85
Nucleophilic substitution
Alkylderivatives of Stanna-*closo*-dodecaborate, 116
Preparation and organic transformation reactions of $CpFe(CO)_2$-SCO-3-C_6H_4-SO_2Cl, 228

Oligonuclear ferrocene complexes
Stepwise assembly and structural characterization of oligonuclear ferrocene aggregates with boron–nitrogen backbone, 94
Organochalcogen
Synthesis and reactivity of organochalogen ester substituted η^3-butadienyl complexes of Mo(II): crystal structure of [MoCl-$(CO)_2(\eta^3$-$CH_2C(COSePh)C{=}CH_2)$(1,10-phenanthroline)]·0.5 CH_2Cl_2, 277
Organometallic π-tweezer
Monomere Kupfer(I)-Alkyle mit β-Wasserstoffatomen und Kupfer(I)-Aryle mit kondensierten Aromaten; die Festkörperstruktur von $[(\eta^5$-$C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Cu^nC_4H_9$, 142
Organotellurium triiodides
Crystal and molecular structure of (α-naphthyl)TeI_3, 306
Osmacycle
Osmacycles containing the $\{(Ph_2PE)_2N\}^-$ ligand (E = S or Se): synthesis and crystal structures, 85
Oxidative dimerization
Highly selective synthesis of biphenyl by the $Pd(OAc)_2$/HPA/O_2/AcOH catalyst system, 59

Palladium
Oxidative insertion into the N–H bond of carbazole, indole and pyrrole with zerovalent metals, 170
Synthesis and electrochemical behaviour of σ,η^2-acetylide-bridged early–late complexes; The solid-state structure of $[(\eta^5$-$C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Pd(PPh_3)$, 123
Palladium catalysis
One-pot palladium-catalyzed phosphination of aryl iodides with Ph_2PSnR_3, 223
Palladium complexes
New complexes of palladium(II) with chelating heterocyclic nitrogen ligands. Characterization and catalytic activity in CO–styrene copolymerization. Crystal structure of $[Pd(bipy)_2][BAr'_4]_2$, Ar′ = [3,5-$(CF_3)_2C_6H_3$], 77
P–C cross-coupling
One-pot palladium-catalyzed phosphination of aryl iodides with Ph_2PSnR_3, 223
$Pd(OAc)_2$
Highly selective synthesis of biphenyl by the $Pd(OAc)_2$/HPA/O_2/AcOH catalyst system, 59
Pentamethylcyclopentadienyl
Cyclic thioether and acyclic thioether–thiolate complexes of pentamethylcyclopentadienyl ruthenium(II, III), 161
Phosphane
Stabilisierung niedervalenter Ni(CO)-Bausteine durch [Ti](C≡CR)$_2$; Reaktionsverhalten von $\{[Ti](C{\equiv}CR)_2\}Ni(CO)$ gegenüber Triphenylphosphan und Phosphiten, 150
Phosphine
Synthesis and reactions of the cationic seven-coordinate complexes, $[MoI(CO)_3(NCR)\{Ph_2P(CH_2)_nPPh_2\}][BF_4]$ (R = Me, n = 1, 2 and 3; R = Et, n = 1). Crystal structures of $[MoI_2(CO)_2(PPh_3)$-$\{Ph_2P(CH_2)PPh_2\}]$, $[MoI(CO)_2\{Ph_2P(CH_2)PPh_2\}_2][BF_4]\cdot CH_2Cl_2$, $[MoCl_3O\{Ph_2PO(CH_2)OPPh_2\}]$ and $[Mo_3(\mu_3$-$I)_2\{\mu_2$-$Ph_2P(CH_2)PPh_2\}_3]I$, 45
Phosphine oxide
Polyether phosphine oxide induced phase separable homogeneous catalysis for hydroformylation of higher olefins, 1
Phosphite
Nitrile exchange reactions of $[WI(CO)(NCMe)\{P(O^iPr)_3\}_2(\eta^2$-$MeC_2Me)][BPh_4]$; X-ray crystal structures of $[WI(CO)(L)$-$\{P(O^iPr)_3\}_2(\eta^2$-$MeC_2Me)][BPh_4]$ {L = NC^iPr, NC^tBu, $NCCH_2Ph$, 1,2-$C_6H_4(NCCH_2)_2$}, 37
Stabilisierung niedervalenter Ni(CO)-Bausteine durch [Ti](C≡CR)$_2$; Reaktionsverhalten von $\{[Ti](C{\equiv}CR)_2\}Ni(CO)$ gegenüber Triphenylphosphan und Phosphiten, 150
Phosphorus
Reactivity of *cyclo*-$(PhX)_6$ (X = As, P) towards $[M_3L_2(CO)_{10}]$ (M = Ru, L = CO or NCMe; M = Fe, L = CO), 27
Phosphorus ligands
Facile syntheses of new multidentate (phosphino)amines: X-ray structure of 1,4-$\{(OC)_4Mo(Ph_2P)_2NCH_2\}_2C_6H_4$, 294
Osmacycles containing the $\{(Ph_2PE)_2N\}^-$ ligand (E = S or Se): synthesis and crystal structures, 85
Platinum
Oxidative insertion into the N–H bond of carbazole, indole and pyrrole with zerovalent metals, 170
Polyamines
Hemilability of the primary amine–metal bond in polyamine-(Group 6) metal carbonyl complexes, 214
Polymeric superstructures
Crystal and molecular structure of (α-naphthyl)TeI_3, 306
Potassium
Sodium and potassium derivatives of diphenyl(trimethylsilyl)-methane, 182
Pyrazolylborate
The reaction of samarium(II) with manganese carbonyl: unexpected conversion of CO to formate. X-ray crystal structures of $[Sm(Tp^{Me2})_2]Mn(CO)_5$ and $\{[Sm(Tp^{Me2})_2]_2(\mu$-$HCO_2)\}Mn(CO)_5$ (Tp^{Me2} = HB(3,5-dimethylpyrazolyl), 298
Pyrrole
Oxidative insertion into the N–H bond of carbazole, indole and pyrrole with zerovalent metals, 170

Quaternisation
Lithiation of ferrocenylamines and vanadium dinitrogen chemistry, 245

Radiopharmaceuticals
Oxorhenium(V) '3+2' mixed-ligand complexes carrying the SNO/SN donor and C_{60}, 208
Reactivity studies
Synthesis and reactivity of organochalogen ester substituted η^3-butadienyl complexes of Mo(II): crystal structure of [MoCl-$(CO)_2(\eta^3$-$CH_2C(COSePh)C{=}CH_2)$(1,10-phenanthroline)]·0.5 CH_2Cl_2, 277
Rhenium
Oxorhenium(V) '3+2' mixed-ligand complexes carrying the SNO/SN donor and C_{60}, 208
Ring-opening metathesis polymerization
Steric isomerization of alkyne–dialkyltungsten complexes with a chelating diaryloxo ligand: crystal structures of C_s- and C_1-$W(\eta^2$-RC≡CR)[2,2′ - S(4 - Me - 6 - R′$C_6H_2O)_2$]$(CH_2SiMe_3)_2$, 234

Ruthenium
Cyclic thioether and acyclic thioether–thiolate complexes of pentamethylcyclopentadienyl ruthenium(II, III), 161
Reactivity of *cyclo*-$(PhX)_6$ (X = As, P) towards $[M_3L_2(CO)_{10}]$ (M = Ru, L = CO or NCMe; M = Fe, L = CO), 27
Rydberg transitions
Gas-phase electronic absorption spectra of metallocene dihydrides $M(\eta^5\text{-}C_5H_5)_2H_2$ (M = Mo, W), 106

Salen and Salan complexes with tin(IV)
Preparation and structural characterization of six new diorganotin(IV) complexes of the $R_2Sn(SaleanH_2)$ and $R_2Sn(SalceanH_2)$ type (R = Me, ^{n}Bu, Ph), 188
Samarium
The reaction of samarium(II) with manganese carbonyl: unexpected conversion of CO to formate. X-ray crystal structures of $[Sm(Tp^{Me2})_2]Mn(CO)_5$ and $\{[Sm(Tp^{Me2})_2]_2(\mu\text{-}HCO_2)\}Mn(CO)_5$ (Tp^{Me2} = HB(3,5-dimethylpyrazolyl), 298
Schiff bases
Oxorhenium(V) '3+2' mixed-ligand complexes carrying the SNO/SN donor and C_{60}, 208
Selenoester
Synthesis and reactivity of organochalogen ester substituted η^3-butadienyl complexes of Mo(II): crystal structure of $[MoCl(CO)_2(\eta^3\text{-}CH_2C(COSePh)C{=}CH_2)(1,10\text{-phenanthroline})]\cdot 0.5\,CH_2Cl_2$, 277
Seven-coordinate
Synthesis and reactions of the cationic seven-coordinate complexes, $[MoI(CO)_3(NCR)\{Ph_2P(CH_2)_nPPh_2\}][BF_4]$ (R = Me, n = 1, 2 and 3; R = Et, n = 1). Crystal structures of $[MoI_2(CO)_2(PPh_3)\{Ph_2P(CH_2)PPh_2\}]$, $[MoI(CO)_2\{Ph_2P(CH_2)PPh_2\}_2][BF_4]\cdot CH_2Cl_2$, $[MoCl_3O\{Ph_2PO(CH_2)OPPh_2\}]$ and $[Mo_3(\mu_3\text{-}I)_2\{\mu_2\text{-}Ph_2P(CH_2)PPh_2\}_3]I$, 45
Sodium
Sodium and potassium derivatives of diphenyl(trimethylsilyl)-methane, 182
Solid-state structure
Synthesis and electrochemical behaviour of σ,η^2-acetylide-bridged early–late complexes; The solid-state structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Pd(PPh_3)$, 123
The crystal structure of $[Mo(NCS)(CO)_2(\eta^3\text{-}C_3H_5)(NCMe)_2]\cdot MeCN$ and the reactions of $\{Mo(CO)_2(\eta^3\text{-}C_3H_5)^+\}$ containing species with symmetric alkynes, 176
Solvent effects
Specific solvent effect on R_2ZrCl_2 (R = butyl, ethyl) reactivity, a density functional study, 268
Steric isomerization
Steric isomerization of alkyne–dialkyltungsten complexes with a chelating diaryloxo ligand: crystal structures of C_s- and C_1-$W(\eta^2\text{-}RC{\equiv}CR)[2,2'\text{-}S(4\text{-}Me\text{-}6\text{-}R'C_6H_2O)_2](CH_2SiMe_3)_2$, 234
Structures
Cyclic thioether and acyclic thioether–thiolate complexes of pentamethylcyclopentadienyl ruthenium(II, III), 161
Preparation and organic transformation reactions of $CpFe(CO)_2\text{-}SCO\text{-}3\text{-}C_6H_4\text{-}SO_2Cl$, 228
Styrene
New complexes of palladium(II) with chelating heterocyclic nitrogen ligands. Characterization and catalytic activity in CO–styrene copolymerization. Crystal structure of $[Pd(bipy)_2][BAr'_4]_2$, Ar' = $[3,5\text{-}(CF_3)_2C_6H_3]$, 77
Sulfonates
Preparation and organic transformation reactions of $CpFe(CO)_2\text{-}SCO\text{-}3\text{-}C_6H_4\text{-}SO_2Cl$, 228
Supramolecular self-assembly
Crystal and molecular structure of (α-naphthyl)TeI_3, 306
Synthesis
Synthesis and structure of 1,2,4-triazol-2-ium-5-ylidene complexes of Hg(II), Pd(II), Ni(II), Ni(0), Rh(I) and Ir(I), 70

Tellurium
Syntheses and structures of $(R_2Bi)_2E$ (E = S, Te) and *cyclo*-$(RSbSe)_2[W(CO)_5]_2$ [R = $CH(SiMe_3)_2$], 130
Tertiary phosphines
One-pot palladium-catalyzed phosphination of aryl iodides with Ph_2PSnR_3, 223
Tetrahedron
Synthesis, reaction and enantiomeric resolution of chiral clusters containing SRuNiM (M = Mo, W) core, 201
Tetraorganodistannoxanes
Synthesis, spectroscopic and structural aspects of some tetraorganodistannoxanes with internally functionalized oxime. 2. Crystal and molecular structure of $[\{Me_2Sn(ON{=}C(Me)C_5H_4N)\}_2O\}]_2\cdot 2[2\text{-}NC_5H_4(Me)C{=}NOH]$, 66
Tetraphenylborate
Nitrile exchange reactions of $[WI(CO)(NCMe)\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$; X-ray crystal structures of $[WI(CO)(L)\{P(O^iPr)_3\}_2(\eta^2\text{-}MeC_2Me)][BPh_4]$ {L = NC^iPr, NC^tBu, $NCCH_2Ph$, $1,2\text{-}C_6H_4(NCCH_2)_2$}, 37
3-Thiapentane-1,5-dithiolate
Cyclic thioether and acyclic thioether–thiolate complexes of pentamethylcyclopentadienyl ruthenium(II, III), 161
Thiocarboxylate
Preparation and organic transformation reactions of $CpFe(CO)_2\text{-}SCO\text{-}3\text{-}C_6H_4\text{-}SO_2Cl$, 228
Thiolate–thioether
Cyclic thioether and acyclic thioether–thiolate complexes of pentamethylcyclopentadienyl ruthenium(II, III), 161
Tin
Alkylderivatives of Stanna-*closo*-dodecaborate, 116
Titanium
Monomere Kupfer(I)-Alkyle mit β-Wasserstoffatomen und Kupfer(I)-Aryle mit kondensierten Aromaten; die Festkörperstruktur von $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Cu^nC_4H_9$, 142
Synthesis and electrochemical behaviour of σ,η^2-acetylide-bridged early–late complexes; The solid-state structure of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CSiMe_3)_2]Pd(PPh_3)$, 123
Titanocene
Stabilisierung niedervalenter Ni(CO)-Bausteine durch $[Ti](C{\equiv}CR)_2$; Reaktionsverhalten von $\{[Ti](C{\equiv}CR)_2\}Ni(CO)$ gegenüber Triphenylphosphan und Phosphiten, 150
1,2,4-Triazol-2-ium-5-ylidene complexes
Synthesis and structure of 1,2,4-triazol-2-ium-5-ylidene complexes of Hg(II), Pd(II), Ni(II), Ni(0), Rh(I) and Ir(I), 70
(2,4,6-Triisopropylphenyl) methyl ketone
The factors controlling the reaction of (2,4,6-triisopropylphenyl) methyl ketone with Ph_3Al and structure of $[Ph_2AlO(2,4,6\text{-}tri\text{-}^iPr\text{-}C_6H_2)C{=}CH_2]_2$, 136
Tri-phenylaluminium
The factors controlling the reaction of (2,4,6-triisopropylphenyl) methyl ketone with Ph_3Al and structure of $[Ph_2AlO(2,4,6\text{-}tri\text{-}^iPr\text{-}C_6H_2)C{=}CH_2]_2$, 136
Trithiocarbonate
Reactions of cyclomanganated complexes with carbon disulfide: routes to η^2-aryldithiocarboxylate-$Mn(CO)_4$ complexes and to the trithiocarbonate complex $(\mu_3\text{-}CS_3)_2Mn_4(CO)_{16}$, 288
Tungsten
Gas-phase electronic absorption spectra of metallocene dihydrides $M(\eta^5\text{-}C_5H_5)_2H_2$ (M = Mo, W), 106
Tungsten complex
Syntheses and structures of $(R_2Bi)_2E$ (E = S, Te) and *cyclo*-$(RSbSe)_2[W(CO)_5]_2$ [R = $CH(SiMe_3)_2$], 130

Tungsten(II)
Nitrile exchange reactions of [WI(CO)(NCMe){P(O^{i}Pr)$_3$}$_2$(η^2-MeC$_2$Me)][BPh$_4$]; X-ray crystal structures of [WI(CO)(L)-{P(O^{i}Pr)$_3$}$_2$(η^2-MeC$_2$Me)][BPh$_4$] {L = NC^{i}Pr, NC^{t}Bu, NCCH$_2$Ph, 1,2-C$_6$H$_4$(NCCH$_2$)$_2$}, 37
π-Tweezer
Synthesis and electrochemical behaviour of σ,η^2-acetylide-bridged early–late complexes; The solid-state structure of [(η^5-C$_5$H$_4$SiMe$_3$)$_2$Ti(C≡CSiMe$_3$)$_2$]Pd(PPh$_3$), 123

Vanadium(II)
Lithiation of ferrocenylamines and vanadium dinitrogen chemistry, 245

X-ray
New complexes of palladium(II) with chelating heterocyclic nitrogen ligands. Characterization and catalytic activity in CO–styrene copolymerization. Crystal structure of [Pd(bipy)$_2$][BAr$'_4$]$_2$, Ar$'$ = [3,5-(CF$_3$)$_2$C$_6$H$_3$], 77
Stabilisierung niedervalenter Ni(CO)-Bausteine durch [Ti](C≡CR)$_2$; Reaktionsverhalten von {[Ti](C≡CR)$_2$}Ni(CO) gegenüber Triphenylphosphan und Phosphiten, 150
X-ray crystallography
Preparation and structural characterization of six new diorganotin(IV) complexes of the R$_2$Sn(SaleanH$_2$) and R$_2$Sn(SalceanH$_2$) type (R = Me, ^{n}Bu, Ph), 188
Stepwise assembly and structural characterization of oligonuclear ferrocene aggregates with boron–nitrogen backbone, 94
X-ray diffraction study
The factors controlling the reaction of (2,4,6-triisopropylphenyl) methyl ketone with Ph$_3$Al and structure of [Ph$_2$AlO(2,4,6-tri-^{i}Pr-C$_6$H$_2$)C=CH$_2$]$_2$, 136
X-ray structure
Monomere Kupfer(I)-Alkyle mit β-Wasserstoffatomen und Kupfer(I)-Aryle mit kondensierten Aromaten; die Festkörperstruktur von [(η^5-C$_5$H$_4$SiMe$_3$)$_2$Ti(C≡CSiMe$_3$)$_2$]Cu^{n}C$_4$H$_9$, 142
Syntheses and structures of (R$_2$Bi)$_2$E (E = S, Te) and *cyclo*-(RSbSe)$_2$[W(CO)$_5$]$_2$ [R = CH(SiMe$_3$)$_2$], 130
X-ray structures
Lithiation of ferrocenylamines and vanadium dinitrogen chemistry, 245

Zirconium
Specific solvent effect on R$_2$ZrCl$_2$ (R = butyl, ethyl) reactivity, a density functional study, 268
Zwitterions
Alkylderivatives of Stanna-*closo*-dodecaborate, 116